



Sea Ice over Bering Sea: The past, present and the future

Muyin Wang¹

J. E. Overland², N. A. Bond¹, P. Stabeno²

¹ University of Washington

² PMEL/NOAA

Nautical Miles


0 100 200

0 200 400

Kilometers




Monthly Sea Ice Concentration






Climatology
1980-99

HadleyISST_ice









Monthly Sea Ice Extent Anomaly: 1970 - 2008




The Progress of Climate Models



Ensemble Member

Made with the same model but different initial conditions only characterize the uncertainty associated with internal climate variability (natural variation).




Ensemble Mean

The average of the ensemble members (runs) from one model or a group of models.



Emission Scenarios


A plausible representation of the future development of emissions of substances that are potentially radiatively active.




NH Sept Sea Ice Extent

A1B Sep NH Ice Extent






Regions of Interests




Climatology/Seasonal Cycle






Monthly Sea Ice Extent over Bering Strait








Monthly Sea Ice Extent over E. Bering



Trend of Sea Ice Extent



DECadal MEAN ICE EDGE under A1B scenario




CCSM3






60 Year Surface Air Temperature Change

Relative to 1980-1999 mean




JFM




AMJ


Decadal Mean for 2046–2054




JAS



OND



AMJ



OND



SUMMARY

- Linear decline trend is projected by climate models for both Bering Strait (Dec.) and East Bering Sea.
- Larger declining trend in Fall and Spring indicating that the ice season will be shorter over the Bering Sea.
- There is a large interannual variability in the Bering Sea ice extent, which will continue in the next 50 years.

